

## **Erratum to: Arthrodesis After Infected Revision TKA: Retrospective Comparison of Intramedullary Nailing and External Fixation**

**Francesco Iacono, MD, PhD · Giovanni Francesco Raspugli, MD · Danilo Bruni, MD ·  
Mirco Lo Presti, MD · Bharat Sharma, MD ·  
Ibrahim Akkawi, MD · Maurilio Marcacci, MD**

Published online: 30 April 2014  
© Hospital for Special Surgery 2014

**Erratum to: HSSJ (2013) 9:229–235  
DOI 10.1007/s11420-013-9349-5**

In the published article, the author names were presented incorrectly. They are presented correctly above.

---

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11420-013-9349-5>.

---

F. Iacono, MD, PhD · G. F. Raspugli, MD · D. Bruni, MD (✉) ·  
M. Lo Presti, MD · B. Sharma, MD · I. Akkawi, MD ·  
M. Marcacci, MD  
Biomechanics Laboratory,  
Rizzoli Orthopaedic Institute,  
Via di Barbiano n.1/10, Bologna, 40126, Italy  
e-mail: [d.bruni@biomec.ior.it](mailto:d.bruni@biomec.ior.it)